

## CE DECLARATION OF CONFORMITY

This certificate of conformity is based on an evaluation of a sample of below mentioned products. Technical report and documentation is at License Holder's disposal.

This is to certify that the tested samples are in conformity with all directives and standards as mentioned below.

Application of Council Directives Standards, to which conformity is declared:

Importer's Name/Address:	INTERCOOL HELLAS S.A., ANDREA PAPANDREOU AVE, 26500 PATRAS GREECE
Products tested:	SPLIT TYPE HEAT PUMP WALL MOUNTED ROOM AIR CONDITIONER
Rating & principals characteristics:	220-240V, 50Hz , 1 PHASE
Product name:	SND-09ALSI3-ID/OD, SND-12ALSI3-ID/OD
Brand Name:	SENDO
Relevant Standards/Directives:	EN 55014-1:2017 EN 55014-2:2015 EN 61000-3-2:2014 EN 61000-3-3:2013 The EMC directive(2014/30/EU)
Organization:	Intertek Testing Services Shanghai Building No. 86,1196 Qinzhou Road (North), Caohejing Development Zone, Shanghai 200233, China
Test Rep No.	19010145645SHA-021

CE

**INTERCOOL HELLAS A.E.**  
ΕΙΣΑΓΩΓΗ - ΕΜΠΟΡΙΑ - ΑΝΤΙΠΡΟΣΩΠΕΙΣ  
ΛΕΩΦ. ΑΝΔΡΕΑ ΠΑΠΑΝΔΡΕΟΥ - ΠΑΤΡΑ - Τ.Κ. 265 00  
ΤΗΛ. 2610 640.844 - FAX: 2610 640.050  
Α.Φ.Μ. 998834168 - Δ.Ο.Υ. Γ. ΠΑΤΡΩΝ

With respect

INTERCOOL HELLAS S.A.

Import – Export Department

## CE DECLARATION OF CONFORMITY

This certificate of conformity is based on an evaluation of a sample of below mentioned products. Technical report and documentation is at License Holder's disposal.

This is to certify that the tested samples are in conformity with all directives and standards as mentioned below.

Application of Council Directives Standards, to which conformity is declared:

Importer's Name/Address:	INTERCOOL HELLAS S.A., ANDREA PAPANDREOU AVE, 26500 PATRAS GREECE
Products tested:	SPLIT TYPE HEAT PUMP WALL MOUNTED ROOM AIR CONDITIONER
Rating & principals characteristics:	220-240V, 50Hz , 1 PHASE
Product name:	SND-18ALSI3-ID/OD
Brand Name:	SENDO
Relevant Standards/Directives:	EN 55014-1:2017 EN 55014-2:2015 EN 61000-3-2:2014 EN 61000-3-3:2013 The EMC directive(2014/30/EU)
Organization:	Intertek Testing Services Shanghai Building No. 86,1196 Qinzhou Road (North), Caohejing Development Zone, Shanghai 200233, China
Test Rep No.	SHEM24904201244101

CE

**INTERCOOL HELLAS A.E.**  
ΕΙΣΑΓΩΓΗ - ΕΜΠΟΡΙΑ - ΑΝΤΙΠΡΟΣΩΠΕΙΣ  
ΛΕΩΦ. ΑΝΔΡΕΑ ΠΑΠΑΝΔΡΕΟΥ - ΠΑΤΡΑ - Τ.Κ. 265 00  
ΤΗΛ. 2610 640.844 - FAX: 2610 640.050  
Α.Φ.Μ. 998834168 - Δ.Ο.Υ. Γ. ΠΑΤΡΩΝ

With respect

INTERCOOL HELLAS S.A.

Import – Export Department

## CE DECLARATION OF CONFORMITY

This certificate of conformity is based on an evaluation of a sample of below mentioned products. Technical report and documentation is at License Holder's disposal.

This is to certify that the tested samples are in conformity with all directives and standards as mentioned below.

Application of Council Directives Standards, to which conformity is declared:

Importer's Name/Address:	INTERCOOL HELLAS S.A., ANDREA PAPANDREOU AVE, 26500 PATRAS GREECE
Products tested:	SPLIT TYPE HEAT PUMP WALL MOUNTED ROOM AIR CONDITIONER
Rating & principals characteristics:	220-240V, 50Hz , 1 PHASE
Product name:	SND-24ALSI3-ID/OD
Brand Name:	SENDO
Relevant Standards/Directives:	EN 55014-1:2017 EN 55014-2:2015 EN 61000-3-2:2014 EN 61000-3-3:2013 The EMC directive(2014/30/EU)
Organization:	Intertek Testing Services Shanghai Building No. 86,1196 Qinzhou Road (North), Caohejing Development Zone, Shanghai 200233, China
Test Rep No.	SHEM197281252401

CE

**INTERCOOL HELLAS A.E.**  
ΕΙΣΑΓΩΓΗ - ΕΜΠΟΡΙΑ - ΑΝΤΙΠΡΟΣΩΠΕΙΣ  
ΛΕΩΦ. ΑΝΔΡΕΑ ΠΑΠΑΝΔΡΕΟΥ - ΠΑΤΡΑ - Τ.Κ. 265 00  
ΤΗΛ. 2610 640.844 - FAX: 2610 640.050  
Α.Φ.Μ. 998834168 - Δ.Ο.Υ. Γ. ΠΑΤΡΩΝ

With respect

INTERCOOL HELLAS S.A.  
Import – Export Department

## CE DECLARATION OF CONFORMITY

This certificate of conformity is based on an evaluation of a sample of below mentioned products. Technical report and documentation is at License Holder's disposal.

This is to certify that the tested samples are in conformity with all directives and standards as mentioned below.

Application of Council Directives Standards, to which conformity is declared:

Importer's Name/Address:	INTERCOOL HELLAS S.A., ANDREA PAPANDREOU AVE, 26500 PATRAS GREECE
Products tested:	SPLIT TYPE HEAT PUMP WALL MOUNTED ROOM AIR CONDITIONER
Rating & principals characteristics:	220-240V, 50Hz , 1 PHASE
Product name:	SND-09ALSI2-ID/OD
Brand Name:	SENDO
Relevant Standards/Directives:	EN 55014-1:2017 EN 55014-2:2015 EN 61000-3-2:2014 EN 61000-3-3:2013
Organization:	Intertek Testing Services Hangzhou 16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China
Test Rep No.	190200141HZH-001

CE

**INTERCOOL HELLAS A.E.**  
ΕΙΣΑΓΩΓΗ - ΕΜΠΟΡΙΑ - ΑΝΤΙΠΡΟΣΩΠΕΙΕΣ  
ΛΕΩΦ. ΑΝΔΡΕΑ ΠΑΠΑΝΔΡΕΟΥ - ΠΑΤΡΑ - Τ.Κ. 265 00  
ΤΗΛ. 2610 640.844 - FAX: 2610 640.050  
Α.Φ.Μ. 998834168 - Α.Ο.Υ.Γ. ΠΑΤΡΩΝ

With respect

INTERCOOL HELLAS S.A.

Import – Export Department

## CE DECLARATION OF CONFORMITY

This certificate of conformity is based on an evaluation of a sample of below mentioned products. Technical report and documentation is at License Holder's disposal.

This is to certify that the tested samples are in conformity with all directives and standards as mentioned below.

Application of Council Directives Standards, to which conformity is declared:

Importer's Name/Address:	INTERCOOL HELLAS S.A., ANDREA PAPANDREOU AVE, 26500 PATRAS GREECE
Products tested:	SPLIT TYPE HEAT PUMP WALL MOUNTED ROOM AIR CONDITIONER
Rating & principals characteristics:	220-240V, 50Hz , 1 PHASE
Product name:	SND-12ALSI2-ID/OD
Brand Name:	SENDO
Relevant Standards/Directives:	EN 55014-1:2017 EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55014-2:2015
Organization:	SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. 588 West Jindu Road, Xinqiao, Songjiang, 201612 Shanghai,China
Test Rep No.	SHEM190301140301HSC

CE

**INTERCOOL HELLAS A.E.**  
ΕΙΣΑΓΩΓΗ - ΕΜΠΟΡΙΑ - ΑΝΤΙΠΡΟΣΩΠΕΙΣ  
ΛΕΩΦ. ΑΝΔΡΕΑ ΠΑΠΑΝΔΡΕΟΥ - ΠΑΤΡΑ - Τ.Κ. 265 00  
ΤΗΛ. 2610 640.844 - FAX: 2610 640.050  
Α.Φ.Μ. 998834168 - Δ.Ο.Υ. Γ. ΠΑΤΡΩΝ

With respect

INTERCOOL HELLAS S.A.

Import – Export Department

## CE DECLARATION OF CONFORMITY

This certificate of conformity is based on an evaluation of a sample of below mentioned products. Technical report and documentation is at License Holder's disposal.

This is to certify that the tested samples are in conformity with all directives and standards as mentioned below.

Application of Council Directives Standards, to which conformity is declared:

Importer's Name/Address:	INTERCOOL HELLAS S.A., ANDREA PAPANDREOU AVE, 26500 PATRAS GREECE
Products tested:	SPLIT TYPE HEAT PUMP WALL MOUNTED ROOM AIR CONDITIONER
Rating & principals characteristics:	220-240V, 50Hz , 1 PHASE
Product name:	SND-18ALSI2-ID/OD
Brand Name:	SENDO
Relevant Standards/Directives:	EN 55014-1:2017 EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55014-2:2015
Organization:	SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. 588 West Jindu Road, Xinqiao, Songjiang, 201612 Shanghai,China
Test Rep No.	SHEM190401244101HSC

CE

**INTERCOOL HELLAS A.E.**  
ΕΙΣΑΓΩΓΗ - ΕΜΠΟΡΙΑ - ΑΝΤΙΠΡΟΣΩΠΕΙΕΣ  
ΛΕΩΦ. ΑΝΔΡΕΑ ΠΑΠΑΝΔΡΕΟΥ ΠΑΤΡΑ - Τ.Κ. 265 00  
ΤΗΛ. 2610 640.844 - FAX: 2610 640.050  
Α.Φ.Μ. 998834168 - Δ.Ο.Υ. Γ. ΠΑΤΡΩΝ

With respect

INTERCOOL HELLAS S.A.

Import – Export Department

## CE DECLARATION OF CONFORMITY

This certificate of conformity is based on an evaluation of a sample of below mentioned products. Technical report and documentation is at License Holder's disposal.

This is to certify that the tested samples are in conformity with all directives and standards as mentioned below.

Application of Council Directives Standards, to which conformity is declared:

Importer's Name/Address:	INTERCOOL HELLAS S.A., ANDREA PAPANDREOU AVE, 26500 PATRAS GREECE
Products tested:	SPLIT TYPE HEAT PUMP WALL MOUNTED ROOM AIR CONDITIONER
Rating & principals characteristics:	220-240V, 50Hz , 1 PHASE
Product name:	SND-24ALSI2-ID/OD
Brand Name:	SENDO
Relevant Standards/Directives:	EN 55014-1:2017 EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55014-2:2015
Organization:	SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. 588 West Jindu Road, Xinqiao, Songjiang, 201612 Shanghai,China
Test Rep No.	SHEM1904012524HS

CE

**INTERCOOL HELLAS A.E.**  
ΕΙΣΑΓΩΓΗ - ΕΜΠΟΡΙΑ - ΑΝΤΙΠΡΟΣΩΠΕΙΣ  
ΛΕΩΦ. ΑΝΔΡΕΑ ΠΑΠΑΝΔΡΕΟΥ - ΠΑΤΡΑ - Τ.Κ. 265 00  
ΤΗΛ. 2610 640.844 - FAX: 2610 640.050  
Α.Φ.Μ. 998834168 - Α.Ο.Υ. Γ. ΠΑΤΡΩΝ

With respect

INTERCOOL HELLAS S.A.

Import – Export Department